

# Najnowsze handfree 2d imaging skaner kodów kreskowych

Można przeczytać na nabytym i dekodowanie obrazu

Skanowanie wielokierunkowe, łatwy do skanowania

Platforma i pulpitu & Zwięzła konstrukcja

Dzięki stabilnym stojaku & Moduł skanera niezawodne

Duża szybkość pozyskiwania obrazów i dekodowanie

|                                  |  |
|----------------------------------|--|
| Parametry pracy                  |  |
| Zródło światła                   | Biała dioda LED  |
| Brzęczyk                         | Siedem ton lub milczą  |
| Lampa                            | Biały  |
| Interfejs systemowy              | KBW, RS232, USB  |
| Parametry fizyczne               |  |
| Głośność (Lx W x H)              | Rozmiar produktu 78 mm x 75 mm x 141mm (3.2" x 3.3" x 5.9"), |
| Waga                             | Size180 wyrobów g (12 uncji)                                 |
| Parametry elektryczne            |  |
| Napięcie wejściowe               | 5.5 VDC $\pm$ 0,25 V   |
| Moc pracy                        | 2,0 W (430 mA przy 5 V)                                      |
| Mocy w trybie czuwania           | 0,5 W (100 mA przy 5 V)                                      |
| Parametr środowiska              |  |
| Temperatura pracy                | 0 ° C - 40 ° C   |
| Temperatura przechowywania       | -40 ° C -60 ° C  |
| Wilgotność                       | Wilgotność względna 0% do 95% (bez kondensacji)              |
| Charakterystyczną przeciwstukowe | Wytrzymać 1,5 m wysoki spadek z betonowej podłodze.          |
| Pyłoszczelny                     | Uszczelnić, aby zapobiec erozji cząstek pyłu powietrza.      |
| Parametry skanowania             |  |
| Tryb skanowania                  | Dookólna (640X480)   |
| Najwyższy współczynnik odbicia   | Max 20% odbicia można odczytać                               |
| Kąt skanowania                   | 70 °, 75 °   |



## Hand free Imaging Scanner for 2D Barcode

OCBS-T201



### Product Picture



### Features:



**Reliable with good price**

▼ **High speed image acquisition and decoding**



▼ **Can read the barcode on the screen**

▼ **Omni-directional scanning, easy to scan**





▼ **With steady stand & reliable scanner module**

▼ **Desktop flatbed & Concise design**



Application place



Bookstore



Supermakte



Pharmacy



Warehouse



Clothing store



Restaurant

## Parameter

| Performance parameters   |  |
|--------------------------|--|
| Light source             | white LED  |
| Buzzer                   | Seven tones or silent                                    |
| Lamp                     | White  |
| System interface         | KBW, RS232,USB   |
| Physical parameters      |  |
| Volume(Lx W x H)         | Product size 78 mm x 75 mm x 141mm (3.2" x 3.3" x 5.9"), |
| Weight                   | Product size 180 g (12 oz)                               |
| Electrical parameters    |  |
| Input voltage            | 5.5 VDC ± 0.25 V   |
| Work power               | 2.0 W (430 mA @ 5 V)                                     |
| Standby power            | 0.5 W (100 mA @ 5 V)                                     |
| Environmental parameter  |  |
| Operating temperature    | 0° C - 40° C   |
| Storage Temperature      | -40°C -60°C  |
| Humidity                 | 0% to 95% relative humidity (no condensation)            |
| Antiknock characteristic | Withstand 1.5 meters high drop from concrete floor.      |
| Dust-proof               | Seal to prevent air dust particle erosion.               |
| Scanning parameters      |  |
| Scanning mode            | Omni directional (640X480)                               |
| Highest Reflectivity     | Max 20% reflectivity can be read                         |
| Scanning Angle           | 70°, 75°   |

## Quality Assurance:



OCOM is dedicated to providing most cost-effective products and services with highest quality that will meet customers' satisfaction.

Since the establishment, OCOM has been sticking strictly to the standard and requirements of ISO9001: 2000 in the processes of research, design, manufacturing and services.

OCOM's products have passed CE, FCC, TUV, RoHs and other certifications.

We make strictly IQC, IPQC and OQC inspection per industrial standard. All the products must pass 24-48 hours aging test before shipment. Some designated models can have as long as 24 months warranty.

## Test Equipments:

✓ Indicates information has been verified onsite by a certification specialist

### Test Equipment and Facilities

| Verified | Machine Name             | Brand & Model No. | Quantity |
|----------|--------------------------|-------------------|----------|
| ✓        | Ageing Tester            | No Information    | 6        |
| ✓        | Withstand Voltage Tester | CC2670A           | 1        |
| ✓        | Oscilloscope             | TBS1102           | 1        |
| ✓        | DC Power Supply          | PS-305DM          | 6        |
| ✓        | Digital Torque Meter     | HP100             | 1        |
| ✓        | Calliper                 | GUANGLU           | 2        |
| ✓        | Multi-meter              | VC890D            | 7        |
| ✓        | Test Computer            | No Information    | 13       |

Verified by TUV on 2013.7.15

## Certification:




## Warranty and After Sales:



- ▶ All products' warranty are not less than 12 month, some models even up to 24 months warranty.
- ▶ Spare parts will be provided for mass orders for customers' local maintenance.
- ▶ Any product found to be defective within 30 days of shipment shall be deemed Dead on Arrival (DOA). DOA products will be advance replaced and shipped via express.
- ▶ Have distributors or authorized agents in the main market who can provide local repair and replacement services.
- ▶ Professional CRM management insures fast respond for customer's enquiries and orders tracking.
- ▶ Sales with many years experience in foreign trade, proficient in foreign languages and strong sense of responsibility.
- ▶ 7\*24 hours online, responds with 12 hours in working days, and within 24 hours for rest days.

### Packing and Shipment:



### Payment:



### Customers Reference

Over the years, OCOM keep efforts on marking "OCOM" as an internationally recognized brand, and we have established goods relationship with our customers and have friendly communication with each other.





## Company Profile

### TRADE ASSURANCE

- 100% money refund for Late shipment & Quality problem
- Guarantee on-time delivery
- Third-party pre-shipment quality inspection (Optional)
- No transaction commission charged
- The HIGHEST assurance amount guaranteed by alibaba in the Auto-ID and POS industry .



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Thermal Printer, Barcode printer, Dot Matrix Printer, Barcode Scanner, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.

We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: [www.ocominc.com](http://www.ocominc.com),

Together we quest for the best.



## Why you choose us?



## Contact us

**Any queries, please contact us immediately, big surprise is waiting for you.**

**Sales Center:**

Address: Unit701, Block 14, Zhongxing Industrial Park, Chuangye Road, Nanshan

District, Shenzhen 518054, China

Website: [www.ocominc.com](http://www.ocominc.com) [www.possolution.com.cn](http://www.possolution.com.cn);

E-mail: [ocom@ocominc.com](mailto:ocom@ocominc.com), [info@possolution.com.cn](mailto:info@possolution.com.cn) ;

Tel: +86.755.86053207 ext 800;

Fax: +86.755.86053207 ext 868;

QQ: 2485890637, 190852203;

Wechat: szocominc, hj34924238;

Whatsapp: 008613352932860;



## Relevant documents:

[user manual](#)