

3-calowa termiczna drukarka etykiet z kodami kreskowymi (Model: OCBP-020)

Cechy:



Szerokość druku można regulować;

Inteligentna kontrola temperatury sprawia, że drukarka pracuje stabilniej;

Automatyczna kalibracja;

Wysoka prędkość drukowania;

Kompatybilny z różnymi etykietami wysyłkowymi.

Specyfikacja

Ogólny	
Model	OCBP-020

Interfejs	USB/USBBluetooth
Żywotność głowicy drukarki	50KM
Zasilacz	Wejście: AC 100-240 V, 50 ~ 60 Hz; Wyjście: DC 24 V/1,5 A
Czujniki	Czujniki dwuGłoska bezdźwięczne: transmisyjne i odblaskowe
Sterownik drukarki	Windows, MAC OS, obsługa IOS/Android
Rotacja czcionek i kodów kreskowych	0°, 90°, 180°, 270°
Polecenie drukarki	Polecenie TSPL (CPCL/ESC/POS polecenie- opcjonalnie)
Możliwość drukowania	
Metoda drukowania	Bezpośrednia linia termiczna
Rozdzielczość	203 DPI
Szybkość drukowania	120 mm/s
Szerokość druku	20-76 mm
Dostępna maksymalna szerokość papieru	80mm
Kod kreskowy i znak	
kod kreskowy	Kod kreskowy 1D: UPC-A / UPC-E / JAN13 (EAN13) / JAN8 (EAN8) / CODE39 / ITF / CODABAR / CODE93 / CODE128 Kod kreskowy 2D: kod QR, PDF417
Media	
Typ mediów	papier ciągły, papier etykietowy, papier składany, papier etykietowy
Szerokość nośnika	Maks. 80 mm
Grubość nośnika	0,06-0,30 mm
Średnica rdzenia nośnika	25,4 mm
Średnica rolki papieru	100 mm (MAKS.)
Fizyczny	
Wymiar fizyczny	200*160*139,5mm
Waga	Netto: 1,02 kg, brutto 1,40 kg
Pudełko na pakiet	235*220*170mm
8 w jednym kartonie	490*460*360mm/12kg
Akcesoria	Kabel USB, instrukcja obsługi, zasilacz
Środowisko	

Temperatura i wilgotność pracy	5 do 40 stopni Celsjusza, 25% ~ 85% Brak kondensacji
Temperatura i wilgotność przechowywania	-40 do 60 stopni Celsjusza, 10% ~ 90% Bez kondensacji

3-inch Label Printer

OCBP-020



Windows

MAC OS



Android

IOS



**No ribbon, No ink
Thermal printing.**

Paper can be printed without any consumables
saves time and money.



Easy Installation



Freely adjust the printing width

Compatible with various shipping labels, Removable paper slot adjustable printing width, Large-capacity paper warehouse Reduce frequent paper changes

20-80mm
Print Width

100mm
Paper roll diameter



Adjustment paper range



Support Paper Width 20-80mm

Standard: 020-20200202
Category: B
Product Name: Sweater
Style No.: Z-4747
Specification: XL
Fabric: 93% wool
Registration:
qualified products
\$29.99

Bubble Tea
Taste: Shaobing
Price: 6.00
Time: 02-02-02



Menu
Sirloin steak*3
Mexican rolls*2
Salad*1
Turkey*1
Dessert*3
Mashed potatoes*1
\$29.99



Professional print head, Stable and durable.

With professional thermal print head, stable performance, clear printing and long working life.



Automatic rollback function to prevent paper waste

Automatically induction paper when the printer starts up, and the first piece of paper will automatically return without wasting

-  Gap detection
-  Paper outlet detection
-  Paper shortage detection



Multiple interfaces

Supports USB, Bluetooth and Local area network port optional



USB



Bluetooth




LAN



USB Connection



Bluetooth Connection



LAN Connection



Product Function Structure




Packaging accessories

SMART PRINTING



Beautiful packaging, original accessories



01 Machine

02 USB Cable

03 Power Cable

04 User Manual



APPLICATION

Applied to supermarkets, warehouse labels;
express bills; office printing, etc.

Office desktop printing



Courier form



Warehouse Label Printing



Odpowiednie dokumenty:

[Płyta CD z etykietą Pritner](#)

