

4 Inch Bluetooth Portable Thermal Label Printer

(M/N:OCBP-M1002)

Features:

Compatible with TSPL Command;

OLED screen can show printer status;

Fast charging for 10 minutes with 30% power;

2400mAh Battery can print 300m continuously;

90mm/s high printing speed;

Support Free SDK,demo and Windows driver;

Anti-drop design for outdoor work.

Specification:

Printing method		thermal line
Resolution		203dpi
Paper width		Min: 40mm MAX:110mm
Effective printing width		104mm
Printing speed		90mm/s(MAX)
RAM		8MB
FLASH		4MB
Display		OLED single color:Blue
cutter		Manual serrated blade
Paper warehouse capacity		Diameter≤50mm
Interface	1* Standard Mircro USB	
	BLUETOOTH V4.0 Compatible with V2.0, V2.1, V2.1+EDR	
	2.4G WIFI 802.11 a/b/g (Optional funtion)	
Battery Capacity		7.4V 2400mA
Button	Power	SUPPORT
	uncover button	SUPPORT
	Feed	SUPPORT
Sound	Beeper	SUPPORT
Print Font		ASCII Font A: 12×24/ASCII Font B: 9×24/Chinese: 24×24
Emulation		TSC/CPCL
Printer Head		50km
Compatibility	Support	XP,Win7,Win8,Win10,ios, Android, Linux Mac OS

Environment	Temperature	Working: 0°C—45, Storage: -20 °C—70°C
	Humidity	Working : 10%—80% ; Storage: 5% —90%



OCBP-M1002







OCBP-M1002







OCBP-M1002









OCBP-M1002





OCBP-M1002





OCBP-M1002

