

# Bluetooth Communication 58mm Thermal Receipt Printer

## (Model No.: OCPP-586-B)

### FEATURES:

- Small size and elegant design
- Can drive cash drawer
- High printing speed
- Compatible with ESPON
- Printing head life: 50KM

### SPECIFICATION:

<b>Printing Method</b>	Direct thermal
<b>Print Density</b>	384dots/line (203DPI)
<b>Character Size</b>	384dots/line, ANK character, Font: A: 12*24dots, 1.5(W)*3.0(H) mm Simplified/Traditional: 24*24dots, 3.0(W)*3.0(H)mm
<b>Barcode Type</b>	JAN13(EAN13)JAN8(EAN8)CODE39 QR (Optional function)
<b>Printing Command</b>	Compatible with EPSON ESC/POS
<b>Language</b>	OEM437/Katakana/OEM850/OEM860/OEM863/OEM865/West Europe/ Greek/Hebrew/East Europe/Iran/WPC1252/OEM866/OEM852/ OEM858/Iran/Latvian/ Arabic/PT151.1251/OEM747/ WPC1257/Vietnam/OEM864/Hebrew/WPC1255/Thai
<b>Printing Speed</b>	90mm/sec
<b>Paper Width</b>	57.5±0.5mm
<b>Paper Thickness</b>	0.06-0.08mm
<b>MCBF(life)</b>	50km
<b>Dimension</b>	190*132*119mm
<b>Gross Weight</b>	1.2KG
<b>Auto Cutter</b>	manual cutter
<b>Sensor</b>	Paper Near End Sensor, Paper End Sensor, Cover open sensor
<b>Roll Paper</b>	Φ75mm
<b>Interface</b>	RS-232C, Parallel, USB, LAN bluetooth (optional)
<b>Driver</b>	Win 9X, Win 2000, Win 2003, Win XP, Win Vista, Win 7 compatible with ESPON
<b>Printer Supply</b>	DC12V/3A
<b>Cash Drawer Control</b>	DC12V/1A
<b>Working Temperature</b>	0-45 degree C, Humidity: 10-80%
<b>Saving Temperature</b>	-10-60 degree C, Humidity: 10-90%

### Pictures:



OCPP-586



[www.ocominc.com](http://www.ocominc.com)



**ocom**  
*At your side*



CE FC   

**ocom**  
*At your side*



**ocom**  
*At your side*



CE FC   

**ocom**  
*At your side*



CE FC   

**ocom**  
At your side



CE FC   



**Relevant documents:**  
[OCPP-586 Spec](#)