

# 58MM Thermal Printer

(Model No.: OCPP-58Z)

## FEATURE:

- I Small size and elegant design
- I Can drive cash drawer
- I The built-in power adapter
- I Support Android system
- I Bar code printing function(optional)
- I Compatible with ESPON
- I Printing head life: 50KM

## SPECIFICATION:

<b>Printing Method</b>	Direct thermal
<b>Print Density</b>	384dots/line (203DPI)
<b>Character Size</b>	384dots/line, ANK character, Font: A: 12*24dots, 1.5(W)*3.0(H) mm Simplified/Traditional: 24*24dots, 3.0(W)*3.0(H)mm
<b>Barcode Type</b>	JAN13(EAN13) JAN8(EAN8) CODE39 QR (optional)
<b>Printing Command</b>	Compatible with EPSON ESC/POS
<b>Language</b>	Buyer language support
<b>Printing Speed</b>	90mm/sec(max)
<b>Paper Width</b>	57.5±0.5mm
<b>Paper Thickness</b>	0.06-0.08mm
<b>MCBF(life)</b>	50km
<b>Dimension</b>	175*130*110mm
<b>Gross Weight</b>	0.8 KG
<b>Auto Cutter</b>	manual cutter
<b>Sensor</b>	Paper Near End Sensor, Paper End Sensor, Cover open sensor
<b>Roll Paper</b>	Φ75mm
<b>Interface</b>	USB
<b>Driver</b>	Win 9X, Win 2000, Win 2003, Win XP, Win Vista, Win 7, Win8 compatible with ESPON
<b>Adapter Voltage Input</b>	AC 110V/220V, 50-60Hz
<b>Adapter Voltage Output</b>	DC12V/3A
<b>Printer Input Voltage</b>	DC12V/3A
<b>Cash Drawer Control</b>	DC12V/1A
<b>Working Temperature</b>	0-45degree C, Humidity: 10-80%
<b>Saving Temperature</b>	-10-60degree C, Humidity: 10-90%
<b>Certificate</b>	CE/FCC/CCC/RoHS

## Detailed Information:



[www.ocominc.com](http://www.ocominc.com)





[www.ocominc.com](http://www.ocominc.com)

CE FC







[www.ocominc.com](http://www.ocominc.com)

CE FC





