

# High Cost-effective 80MM Thermal Receipt Printer with Auto Cutter

(M/N:OCPP-80T)

## Features:



Support 8 kinds abundant interface combination;

Supports multi 1D barcode and QR code printing;

Support printer status monitoring function;

100M Ethernet port, ultra high speed data transmission;

256KB NV Logo storage and 256kb big buffer memory;

Compatible with OPOS/JPOS driver;

100KM long life printer head.

## Technical parameters

Print Method	Direct Thermal
Command	ESC/POS
Resolution	576dots/line or 512dots/line
Printing Width	Max=72mm
Paper Type	Thermal Receipt Paper
Interface	USB/UL/U+BT/ U+WIFI

Print Speed	200 mm/s □U□ 260 mm/s (UL)
Paper Width	80mm
Paper Thickness	0.06~0.08mm
Roll Dia	Max. Ø 83 mm
Paper Cut	Manual tear and Auto-cutter
Input buffer	256kbytes
NV Flash	256kbytes
Font Size	font A:12*24(standard), font B:9*17
Chinese	GB18030,BIG5 24x24dots
Japanese/Korea	Support
User-defined language	PC347(Standard Europe),Katakana,PC850(Multilingual),PC860(Portuguese),PC863(Canadian-French),PC865(Nordic),West Europe,Greek,Hebrew,East Europe,Iran,WPC1252,PC866(Cyrillic#2),PC852(Latin2),PC858,IranII,Latvian,Arabic,PT151(1251) ect.
1D	UPC-A/UPC-E/JAN13□EAN13□JAN8□EAN8□CODE39/ITF/CODABAR/CODE93/CODE128
2D	QR code
Printing head life	100 KM
Cutter life	1million
Paper separator	Optional
Sensors	Paper out, cover open, cutter jam,paper jam and black mark detection(Optional)
Input	AC 100V-240V 50/60HZ
Output	DC 24V/2.5A
Working Condition	0°C~45°C, 10%~80%RH
Storage Condition	-10°C-60°C,10%~90%RH
Accessories	Data cable,power adaptor,power code,paper roller,CD>manual, (standard) Paper separator(option)
Dimensions	180(D)x142(W)x136(H)mm
Net weight	1.14kg
Gross weight	1.8kg
Driver	Windows XP /Vista/ Win7/Win8 /Win10/Win 2000/Win CE/OPOS/JPOS
SDK	Android, IOS

# 80MM Thermal Printer with Auto Cutter

**OCPP-80T**



Windows

LINUX



Android

IOS



## Direct Thermal Printing


Without the printing ink and ribbon etc traditional consumables,  
Low material cost



Thermal Receipt Paper  
Paper Width: 80mm  
Roll Dia: Max. Ø 83mm

## Easy Paper Loading

One button operation, abandon the traditional paper loading structure, and directly put the paper in, easy to operate



- Toothwave for tearing paper
- Open cover button
- Power indicator
- Error indicator
- Paper indicator
- Paper feed button



- AC port
- Power button
- RJ11 port
- USB port
- LAN port

## Packaging accessories

SMART PRINTING



Beautiful packaging, original accessories



- 01 Machine
- 02 Thermal Paper
- 03 Paper Roller
- 04 Power Cable
- 05 USB Cable
- 06 User Manual

# OEM/ODM

FAMOUS PARTNER BRANDS



[Click here](#)


Customized Your LOGO



Customized Your Packaging



Support Customer's Idea To Do The Design





# APPLICATION



## **Relevant documents:**

[80mm Thermal Receipt Printer CD\\_FILES](#)