

# 15.6 Inch Windows Multi-point Capacitive Touch POS System

(Model No.: POS-1509)

## Features:

Standard Pentium quad-core 1.6GHz 3710 CPU;  
Support Highest Turbo Frequency to 2.64GHz;  
4GB RAM+64GB SSD;  
15.6 inch LVDS Screen;  
(16:9)1366\*768 resolution;  
Multi-point Capacitive Touch Panel;  
5 million touch lifetime;  
Aluminum base for adjusting the screen elevation angle.

## Specifications:

Model	POS-1509
Main board (standard)	Pentium quad-core 1.6GHz 3710 Highest Turbo Frequency 2.64GHz
Main board (option)	Celeron quad core 1.99 GHz J1900N
OS	Windows 7 or 10 demo version without license
RAM	4GB Standard 8GB for option
Memory	64GB SSD standard, 128GB for option
Screen Size	15.6 inch Main Screen
Resolution	1366*768
Touch Screen	ten-point capacitive touch screen
Brightness	350cd/m <sup>2</sup>
View Angle	Horizon: 150; Vertical: 140
I/O port	VGA*1, USB*4, RS232*1, DC input*1 RJ45(Ethernet port)*1, Audio output*1
Operating temperature	0 to 40 degree centigrade
Storage temperature	-20 to 60 degree centigrade
Power adapter	110-240V/50-60HZ AC power Input, DC12/5A output





POS-1509





POS-1509





POS-1509





POS-1509





POS-1509







POS-1509





