

15.1-inch Windows Die-cast Aluminum Touch POS Terminal

(M/N: POS-1518)

OCOM POS-1518 POS terminal has aluminium alloy shell and base, It has intel Celeron and intel core I series CPU for option. it has rich I/O interfaces to be connected to more external devices.

Features:



Good heat dissipation system make POS work well in harsher environment;

Cables management make cashier desk more tidier and save much space for use;

Supports "One Line connect" secondary screen;

More scientific separated structure for easy maintenance and loading and unloading;

Double folding structure base make package smaller and save much cost for shipping;

Flexible base allows POS to be placed in more ways and suitable for different counters.

Specification

Model	POS-1518
Name	15.1-inch touch POS terminal
Housing material	Aluminium Alloy Plus ABS
Display	
Main screen	15.1-inch touch screen monitor
Resolution	1024*768 IPS Screen
Brightness	350cd/m ²
View angle	Horizon: 178, Vertical: 178
Touch screen	Multi-point projected G+G capacitive touch
Sub-display	9.7-inch display for option
MSR	3-track card reader for option
Performance	
Motherboard	Intel Celeron J6412, 2.0GHz or Celeron J4125, intel core I3 / I5 11th CPU for option
System Memory	1*SO-DIMM DDR4 slot, support 2400mHZ, 4GB /8GB /16G for option
Storage device	64GB M.2 SSD or higer, up to 512GB
LAN/WLAN	10/100/1000Mbps, Realtek RTL8111F Lan chip built in Mini PCI-E slot, support embedded WIFI module
Operating System	Support Windows 10/11
Connectivity	
External I/O port J6412	Power button*1
	12V DC in jack*1
	LAN: RJ-45*1, USB*8, COM*2, HDMI*1
	Line out&MIC in 2in1 JACK*1
	Customized Type C port for second display (optional)
Environment	
Operating temperature	0 to 50 degrees centigrade

Storage temperature	-20 to 60 degrees centigrade
Working humidity	10%~90% No condensation
Storage humidity	10%~90% No condensation
Package	
Weight	Net: 6.0 Kg, Gross: 7.7Kg
Package with foam inside	436*400*166mm
Accessories	
Power adapter	110-240V/50-60HZ AC power input, DC12V/5A output adaptor
Power cable	Power cable plug compatible with USA /EU / UK etc and customized available
Other	
Compliance	FCC Class A/CE Mark/LVD/CCC

