

Mini Handheld Payment POS (M/N:T45)

An innovative mobile payment terminal, connects with mobile phones and other smart devices via Bluetooth®, combined with multiple applications, supports for magnetic card, IC card and contactless card. Support keyboard input password, LCD prompt transaction information and electronic signatures. Small and portable, simple operation, smart and security, bring you a new era of mobile payment experience!





| Features & Advantages | |
|----------------------------------|---|
| Simple and Practical | Well-Designed, Large Button Design, Convenient Input. |
| Wireless Connection | Connects with mobile phone via Bluetooth®, get rid of cable constraints and enhance the payment experience |
| Comprehensive Adaption | Supports for Bluetooth® 3.0/4.0,Android, IOS; |
| Exceptional Functions | Supports for all types of payment including Magnetic Stripe Card, IC Card (Contact & Contactless) and others. |
| Security Guarantees | Built-in high-grade security chip, dynamic state PSAM slot configuration to keep safe transaction. |
| Specifications | |
| CPU: | 32-bits high-performance security processor |
| Memory | 8MB flash |

| | |
|-------------------------|---|
| Display | 128*64 lattice LCD display. |
| Buttons | 10 numerical buttons, 4 functional buttons, Power On/Off button; |
| Magnetic Card reader | Support for Track 2 & 3, Triple track (optional) |
| IC Card reader | Support for ID-1 IC Card Reader, Capability of 1.8V/3V/5V Card |
| Contactless Card Reader | Supports for 13.56MHz contactless IC Card, ISO14443 TYPE A/TYPE B Card, M1 card. |
| Peripheral Ports | Micro-USB, IC Card Slot, Magnetic Stripe Card Slot, PSAM Slot (Optional) |
| Communication interface | Communication: Bluetooth® 3.0/4.0, Sleep Mode, Low Power Mode; |
| Power & Battery | Built-in Rechargeable lithium ion battery, Battery lasts for more than 500 transactions by Magnetic Stripe Card and IC Card |
| Indicator | 1 LED status indicator |
| Buzzer | Built-in buzzer; Transaction Alert |
| Dimension | 111mm*60mm*12mm; |
| Weight | 68g |
| Certifications | PCI EMV L1 & L2, PBOC 3.0 L1 & L2, Support China Union Pay electronic signature |