POS8829 15 Inch Touch POS Cashier Device for Restaurant

Features:

- $1.\ensuremath{\operatorname{Good}}\xspace$ looking design is suitable for many POS field
- 2. Low power-consumption solution guarantees its stable quality and safety
- 3. LED/LCD customer display optional
- 4. MSR optional
- 5. Wifi optional

Specification:

Model	POS8829
Optional Color	Black/ Wine red
Optional Peripherals	ISO Track1/2/3 Magnetic Stripe Reader; LCD Customer display; LED8; WIFI
Main Board	Intel Chipset
CPU	1037U dual core 1.8G
Chipset	1037U + ICH8 Chipset
Memory Support	DDRIII 1066/1333*1 2GB(up to 4GB)
Hard Driver	SATA 2.5 320GB or 500GB or SSD32GB
LCD panel Size	15 inch TFT LCD
Brightness	350cd/m ²
Resolution	1024*768(max)
Touch Screen	5 wire resistive touch screen
View Angle	Horizon: 150; Vertical: 140
I/O port	1* power button PS2 mouse*1; PS2 keyboard*1 Serial*3 DB9 male Parallel * 1, DB25 Parallel port VGA(15Pin D-sub)*1 LAN: RJ-45*1 HDMI * 1 RJ*11 for cash drawer optional USB(2.0) * 6 Audio out*12*Internal Speaker(option), MIC IN*1
Operating temperature	0 to 40 degree centigrade
Storage temperature	-20 to 60 degree centigrade
Power Consumption	35W(max)
Compliance	FCC Class A/CE Mark/LVD/CCC
Packing dimension/ Weight	440*270*425mm / 8 KGS
Operating System	Windows XP Professional Embedded (WEPOS, Linux compatible)
Power adapter	110-240V/50-60HZ AC power Input, DC12/5A output

Applications:

- 1. Catering: hotel, restaurant, fast-food restaurant, coffee shop, bakery and cake shop
- 2. Retailer: Business Street, boutique, department store, cosmetics shop and high-class barbershop
- 3. Recreation: sauna, spa, night club, theme park, casino and point of sales for lottery ticket
- 4. Commercial: information management terminals for parking lot, inn, aviation, subway, station and wharf

Power adaptor for option:

Shipping way:

- 1. Air, Sea, Express (DHL, FedEx, UPS, EMS, TNT and so on)
- 2. EXPRESS: around 3-7 working days to arrive
- 3. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
- 4. By sea: depend on which destination port

Payment:

- 1. T/T in advance
- 2. Western Union
- 3. PayPal
- 4. Escrow
- 5. L/C

Certification:

After Sale Service:

Warranty:

12 months of shipment normally. Some designated models can have as long as 24 months warranty.

RMA Procedure:

If you suspect your product is not functioning properly, please contact us to help determine whether your product is defective within warranty. Once determined defective you will receive an RMA authorization number for repair or replacement. Customers will return the defective product to us. Upon receipt of defective products, warranty verification will include visual inspection and testing for normal wear and tear, alteration, and functional compliance of the OCOM product. Defective products will be repaired or replaced and shipped via express within 30 days or best effort. Customers will not be

charged for warranty repairs. However, if a returned product does not meet warranty verification then testing, repair, and/or shipping fees may apply.

Dead-on-Arrival (DOA):

Any product found to be defective within 30 days of shipment shall be deemed Dead on Arrival (DOA). DOA products will be advance replaced and shipped via express.

×

×

About Us:

OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. OCOM has an experienced professional teams from marketing, R&D, quality control, and production to sales service. Based on our fast professional service, reliable quality, competitive price, and flexible cooperation modes, we would like establish stable and reliable partnerships with customers all over the world.