

# 17 Inch Resistive Touch Screen POS Computer Monitor VGA Touch Screen LCD Display

(Model No: TM-1701)

## Features:



Multifunctional setting key;

5 or 4 wire touch panel for option;

Grade A LCD panel with LED backlight;

High resolution 1280\*1024@60HZ;

Suitable for all kinds of high-intensity working environment.

## Specification:

Model	TM-1701
Name	17 inch touch screen display
Color	Whole black color machine usually
Material	Metal base with plastic body
VESA	75*75mm for wall mounting(need extra wall mounting bracket)
OSD Language	Support 8kinds of international languages
Display	
Display area	337.92(W)×270.336(H) mm
Pixel pitch	0.264*0.264
Aspect ratio	5:4
Resoluiton	1280*1024

Brightness	300cd/m2
Contrast	1000:1
Display color	16.7M
View angle	Horizon: 160; Vertical :150
Response time	5ms
Touch function	
Touch screen	5-wire resistive touch panel,4-wiretouch screen for option
Structure	ITO Film and ITO Glass FIT
surface treatment	Fog surface, anti-glare
Responding speed	<8ms
Surface hardness	Pencil hardness:3H
Total light transmittance	72% above
Touch life	>35000000 times
Connectivity	
Rear I/O	12V DC in jack*1
	USB *1 for touch function
	15PIN D-sub VGA *1
	HDMI*1 for option
	Audio in*1 for option (built in speaker for option)
Side key function	Auto, Menu,Up,Down,Power Swich
Environment	
Operating temperature	0 to 40 degrees centigrade
Storage temperature	-10 to 60 degrees centigrade
Working humidity	10%~80% No condensation
Storage humidity	10%~90% No condensation
Package	
Package with foam inside	445*180*415mm/8.0kg
4 in 1 carton	630*450*430mm/25kg
Accessories	
Power adapter	110-240V/50-60HZ AC power input ,DC12V/4A output adaptor
Cable	Power cord compatible with USA /EU / UK etc and customized available,USB cable for touch,VGA cable(HDMI cable for option)
Touch related	Touch pen,driver disk
Other	
Certification	CE,ROHS,CCC,FCC













