
Model	POS-T2
Name	5.5 inch capacitive touch screen,
	support the electonic signature
Battery	3.8 V /6400mAh
Power Adapter	Input 100-240V, 50/60Hz,1.5A
·	Output∏5V DC /2A
Charger interface	USB type C
Main screen	5.5 inch HD touch screen dispaly
Resolution	720*1280 IPS
Performance	
CPU	Deca-core MT6797 Tri-Cluste-A72*2+A53*8 2.3GHz
	processor
RAM	3GB
Flash	16GB Flash
Communication	2G/3G/4G
Operating System	Android 8.0
Button	Power button, Scan Button, Volume button
Bluetooth	Bluetooth 4.0
WIFI	WIFI 802.11 b.g.n.ac
Printer	58mm Thermal Receipt and label Printer
Paper Roll	Width: 58mm; Diameter: ≤40mm
Scanner	5 Mega-pixel Camera decoding, 2D Scanner (Option)
NFC	Support ISO/IEC 14443A&B, Mifare, felica card
SIM slot	Sim*2 (default) or Sim*1+Sam*1 for option
Speaker	Digital Audio speaker
Fingerprint	FBI/STQC Fingerprint (Optional)
GPS or AGPS	Support GPS+AGPS
MDM	Support
Peripheral Accessories	
Accessories	USB Type C*1
	Charging adapter*1
	user manual*1
Environment	
Operating temperature	0 to 40 degrees centigrade
Storage temperature	-10 to 60 degrees centigrade
Working humidity	10%~80%
Storage humidity	10%~90%

SMART Handheld POS Terminal

MULTI-PLATFORM AUTOMATIC PRINTING easy to deal with a variety of working environment






Multiple versions Connection options

Support full Net-com, Bluetooth, WIFI multiple versions of connection, Excellent experience






Large paper bin Print more durable


Can accommodate 42mm diameter thermal paper to avoid frequent paper changes and improve printing efficiency.





5.5-inch HD IPS Screen

720*1280 resolution, stable every pixel, allowing users to see more clearly



2D Barcode Scanner for Optional

5 Million Rear HD Camera quickly identify barcodes QR codes record important information









