

electronic cash register POS terminal machine for supermarket (POS8815D)

Features:

15 Inch Dual Screen All-in-one Touch POS Terminal

Display: Both Main and Vice-screen are 15 inches

Touch Panel: Main screen 5-wire Resistive Touch

CPU: Intel 1037U Dual Core 1.8GHz

Memory: DDR3 2GB

SSD: 32G

I/O: 4xUSB2.0 , 1xLAN ,1x COM, 1x Audio,

1xPower Supply : 12V 5A external power adapter

Specification:

Display	Display Area(mm)	304mm(H)X228mm(V)
	Dot Pitch(mm)	0.294mm X 0.294mm
	Resolution	1024x768/1024*768
	Brightness	350cd/㎡
		After Installation of Touch screen ,LCD Panel Luminance is 325cd/㎡
	Contrast	500:01:00
	Color	16.7M
	Response time	15ms
	Viewing Angle	150°(H) 135°(V)
	Power Supply	External Power adapter: 12V/5A
Touch Panel	5-wire resistive Touch for Main Screen,Vice-screen without touch Panel	
Main Machine	CPU	Intel Celeron 1037U Dual Core 1.8GHz
	Memory	DDR3 2GB
	Chipset	Intel Pine view-D And Intel Nm10
	SSD	32GB
	I/O	4xUSB2.0 , 1xLAN ,1x COM, 1x Audio,
	Operation System	Support Windows 2000 / XP / Vista Or Later, Mac OS X Or Later, Linux
	Compliance: CE, FCC, AND UL	
Accessories	Power cables	
	1x Drive installed CD	



POS-8815D



www.ocominc.com





POS-8815D



www.ocominc.com



Application:

Catering: hotel, restaurant, fast-food restaurant, coffee shop, bakery and cake shop

Retailer: Business Street, boutique, department store, cosmetics shop and high-class barbershop

Recreation: sauna, spa, night club, theme park, casino and point of sales for lottery ticket

Commercial: information management terminals for parking lot, inn, aviation, subway, station and wharf