

Bluetooth or 2.4G Wireless 1D 2D Barcode Scanner (M/N:OCBS-W233)



Features:

- Standard Bluetooth+2.4G+USB Communication
- 1 million pixel high precision scanning engine
- 250mA low power design can scan 30,000 times
- Button life reaches up to 8 million times.
- Support pre-targeting function
- Scanning long barcode has high performance
- Big wireless buffer can transfer 600 characters

Light Resource	CMOS □5600K White LED□
CPU	32 bit
Image resolution	1MP(1280*800)
Wireless function	2.4G+USB or 2.4G+Bluetooth+USB for optional
Supported Symboligies	2D: PDF417□Micro PDF 417, QR Code (QR1/2, Micro),Data Matrix, Aztec, Chinese Sensible Code 1D : UPC-A, UPC-E, EAN-8, EAN-13, Code128, Code39, Code 93, Code32, Code11, Codabar, Plessey, MSI, Interleaved 2 of 5, IATA 2 of 5, Matrix 2 of 5, Straight 2 of 5, Pharmacode, RSS-14, RSS-14 Expanded, RSS-14 Limited, Composite Code-A, Composite Code-B, Composite Code-C.
Precision	1D≥ 4 mil (0.10mm) 2D≥ 7 mil (0.10mm)
Depth of scan field	Code 39-5mil:60mm-120mm UPCA-13mil(100%):35mm-310mm
Decode error rate	Less than 1/8 million
Print Contrast Signal	≥ 30°
scan angle	Yaw(Skew)55° & Pitch55°
Battery	2000mAh (30000 times scan and transmission)
Working Voltage	5VDC ±10%
Current	working 250mA±5%
Operating temperature	0°C~ +50°C
Storage temperature	-40°C~ +70°C
Humidity	5%-95%
Certifications	CE, IP54□ROHS, FCC □EMC , RED, LVD
Weight	275g
Box size	190mm*115mm*85mm;

Carton Weight	50 sets/ctn;16kg/ctn;
Carton size	600mm×450mm×420mm



OCBS-W233





OCBS-W233





OCBS-W233





OCBS-W233





OCBS-W233





OCBS-W233





OCBS-W233





OCBS-W233





OCBS-W233





OCBS-W233

