## touch screen mobile android pos terminal machine for supermarket (POS-M680)

android pos device, mobile pos machine, touch screen pos terminal,

## **Brief Introduction**

POS-M680 is a high-end multi-media POS, developed on the Android system. And it's configured with 7 inch touch screen, magnetic, IC and RFID card reader, thermal printer, barcode scanner. It is able to match diversified needs ranging from financial self-attendance, membership management, identification recognition and etc. And widely used in restaurant, banking, hotel, shopping mall, lottery and etc. Features:

->Android 4.0 operation system

->7 Inch High-definition color screen[]1024\*600 solution[]

->3\*SAM card slot,ISO7816 standard

->Abundant device Interface can access sacnner keypad cash drawer

## **Application area**

->Catering: hotel, restaurant, fast-food restaurant, coffee shop, bakery and cake shop

->Retailer: Business Street, boutique, department store, cosmetics shop and high-class barbershop

- I Recreation: sauna, spa, night club, theme park, casino and point of sales for lottery ticket
- ->Commercial: information management terminals for parking lot, inn, aviation, subway, station and wharf

## Specification

Processor Corte-A8, 1.0GHz OS Android 4.0 Memory 512M RAM+4G ROM SD Micro SD∏Up to TF 32GB) Display 7 INCH High-definition color screen 1024\*600 solution Touch Screen Multipoint capacitive touch screen Printer High speed Thermal Printer. Paper Width: 57MM, Diameter: 42MM Magnetic Card Reader ISO7811 1/2/3 Tracks, Support Dual-swiping IC Card Reader ISO7816 standard **RFID Card Reader** ISO14443TypeA, TypeB and ISO15693 Camera 3 Mega-pixel With autofocus **Fingerprint Scanner** Live, biometric fingerprint sensor/reader, capacitive touch screen, 508 DPI , <1s, Barcode Scanner 1D/2D barcode decoding by camera or Scan Engine Communication

GSM:850/900/1800/1900,WCDMA[B1/B2/B5,CDMA: BC0 Wi-Fi 802.11b/g/n WLAN,Support hotspot Voice Support Audio Jack or hands-free calls, recording, Voice Speaker 2\*speakers PSAM Card Slot 3\*SAM card slot, ISO7816 standard SIM Card Slot 1\*SIM card slot Battery Chargeable battery,1000mAh,7.4V USB 2\*USB2.0, 1\*mini USB supports OTG features LAN 1\*RJ45 port HDMI 1\*HDMI port LINE 2\*RJ11 ports RS232 1\*RS232 Power DC 9V/3A Working environment Working temperature: -20 °C ~ 60 °C Storage temperature: -30 °C ~ 70 °C Relative humidity: 10%[]90% Size 240(L) X 220(W) X 80mm(H) Weight 1.2 KG Package size 350(L)\*260(W)\*150(H)mm Package weight 2.5 KG











