

**58мм Малый Handheld Bluetooth МобильныйPos термопринтер
(Модель: ОСРР-М03)**

Спецификация:

Dimensions (Ш x Г x В)	105 x 75 x 45 мм
вес	134 г
цвет	черный
Эффективная ширина печати	48 мм
метод печати	Тепловая линия печати
команда печати	ESC / POS совместимый набор команд
скорость печати	90мм / сек
разрешение	8 точек / мм (203DPI)
Печать шрифт	В 12x24 / 24x24 в
емкость колонки	32 / 16columns
размер символов	1,5 x 3,0 мм (ширина x высота) / 3.0x3.0mm (ширина x высота)
Размер бумаги	Диаметр 58,0 мм до ± 0,1 мм x40.0
Толщина бумаги	От 0,06 до 0,08 мм
Набор символов	Буквенно-цифровой / китайский текст
Интерфейс	USB, RS-232, Bluetooth (опционально)
вспышка	256KB
Адаптер питания	9В / 2А
Заряд батареи	DC / 1500 мА 7.4V; Батарея может оставаться в течение 4-5 дней, когда он полон сил, он может печатать 120-150М бумаги
Другие особенности	Обнаружение бумаги, обнаружение силы, вручную закрыть
Рабочие условия	Температура: -10Celsius ~ 50CelsiusHumidity: 10% ~ 90%
Условия хранения	Температура: -20Celsius ~ 70CelsiusHumidity: 5% ~ 95%
Имя устройства	Может быть настроены для выбора букв и цифр до 30 ASCII символов.
пароль	Ввод по умолчанию код подключения «1234» может быть изменен. Максимум 6 Digitals.
Размер штепсельной вилки	3,5 * 1,1 мм

Информация для заказа	P / N	Описание
	OCPP-M03-BB	С Bluetooth и батареей, Supprot Android
	OCPP-M03-BB-AI	С Bluetooth и батареей, Supprot Android и IOS
	OCPP-M03-UB	С Barrery USB связи,
	OCPP-M03-U	USB связи, без BT, батареи
	OCPP-M03-Б	Bluetooth связи без батареи
	OCPP-M03-UC	USB Связь с Автомобильным зарядным устройством
	OCPP-M03-BC	Bluetooth Связь с Автомобильным зарядным устройством
	OCPP-M03-C	Другое Customized



Features

Simple but not easy

Battery charge indicator, easy to know rest power.



Higher print speed 90mm/sec



Support Windows,Android, or iPhone OS;
Bluetooth, USB and RS232 communication



Higher print speed 90mm/sec.
100km TPH Life



Low power consumption and large capacity Lithium battery.



All-round show





Application Area

Bus/Taxi receipt, Traffic Citation, Logistics, Transportation,
Warehouse management, Delivery, Illegal Parking Ticket,
Drugstore, Food delivery, restaurant, Price Tag, Retail/Farm



Parameter

Overall Dimension (W×D×H)	105×75×45mm
Weight	134g
Color	Black
Effective print width	48mm
Print method	Thermal line printing
Print commands	ESC/POS compatible command set
Print speed	Up to 90mm/sec
Resolution	8 dots/mm(203dpi)
Print font	12x24/ 24x24
Column capacity	32 columns/ 16columns
Character size	1.5 x 3.0 mm(W x H)/ 3.0x3.0mm(WxH)
Paper dimensions	58.0±0.1mm x diameter 40.0mm
Paper thickness	0.06 to 0.08mm
Character set	Alphanumeric/ Chinese Kanji
Interface	USB, RS-232, Bluetooth (optional)
Flash	256KB
Power Adapter	9V DC/2A

Paper Roll Installation



- A Open the printer cover.
- B Install the roller in the roll paper, and put them into the printer.
- C Pull out some paper outside the printer and then close the printer cover.
- D Close the top cover. Press the printer cover to avoid error position of roll paper.
- E Tear-off the paper correctly.

Shipping and payment

1. EXPRESS: around 3-7 working days to arrive
2. INTERNATIONAL AIR MAIL: usually around 2-4 days to arrive, will also depend on which destination port
3. By sea: depend on which destination port
4. T/T
5. Western Union
6. Escrow
7. L/C

Company Profile



OCOM Technologies Limited is a professional supplier specialized in POS and Auto-ID applications. Our products portfolio covers Barcode Scanner, Barcode Printer, Thermal Printer, Dot Matrix Printer, Magnetic Card Reader, Data Collector, POS Terminal, and other IOT products.



We have FCC, CE, RoHS, and other certifications. We have sell our products to West Europe, North American, Africa, Asia-Pacific and other countries.

OCOM has professional teams including marketing, R&D, quality control, production and sales service. All of the sales representatives have 3 to 10 years experience in international trading, which help us to meet the customers' needs.

OCOM have been sticking to the quality system of ISO9001:2008. We conduct strict IQC, IPQC and OQC inspection in every industrial procedure. Based on our strong capacity, the normal lead time for main products is about 3 to 7 days even for bulk order.

You can find more information of us at: www.ocominc.com,
Together we quest for the best.



Соответствующие документы:

*[Спецификация](#)

*[Руководство по программе](#)

*[Инструкция по эксплуатации](#)

*[Водитель для Windows](#)

*[Драйвер для Linux](#)

*[Параметры принтера Настройка инструментов](#)

*[USB Printdemo\(Application Software демо\)](#)

*[Bluetooth Printdemo\(Application Software демо\)](#)

*[SDK для Android](#)

*[CD файлы](#)

ВОПРОСЫ-ОТВЕТЫ: